


# FARM ACCESSORIES



## Elephant ENERGIZERS

- guarantee 36 months, guarantee for thunder 12 months

**NOTE!** Even the minor leakage of current reduces the power of the energizer. It is also extremely important that the earthing is made properly.

**KOHSEL ELEPHANT**



- Peak voltage = the maximum output voltage
- Pulse energy = the energy J (joules) which is effectively available on the fence line
- Charge energy = a theoretical dimension, measured inside the fence controller
- Theoretical fence length = the length of fence wire which keeps the output voltage over 1500 V

## BATTERY ENERGIZERS


ORDER NUMBER	BATTERY ENERGIZER NAP1E	BATTERY ENERGIZER NAA25
<b>Battery</b>	9 V (a)	12 V
<b>Peak voltage</b>	7500 V	8000 V
<b>Pulse energy</b>	0,12 J	2,9 J
<b>Charge energy</b>	0,15 J	3,5 J
<b>Max. fence length:</b>		
<b>theoretical</b>	7,0 km	125 km
<b>normal load</b>	1,0 km	10 km
<b>extreme load</b>	0,2 km	3 km
	All-round battery energizer for cow and horse fences. Battery not included. Suitable battery NA9130 (a)-battery	Powerfull all-round battery energizer for all fences. Battery not included. Suitable battery f.eg. B812070000 75 Ah



## ELECTRONIC ENERGIZERS

- burn the grass off

ORDER NUMBER	ELECTRONIC ENERGIZER NAM40	ELECTRONIC ENERGIZER NAM65D	ELECTRONIC ENERGIZER NAM115D
<b>Power supply</b>	230 V	230 V	230 V
<b>Peak voltage</b>	9500 V	9500 V	9500 V
<b>Pulse energy</b>	4,0 J	6,5 J	11,5 J
<b>Charge energy</b>	5,0 J	8,0 J	16,0 J
<b>Max. fence length:</b>			
<b>theoretical</b>	135 km	230 km	450 km
<b>normal load</b>	15 km	20 km	40 km
<b>extreme load</b>	8 km	10 km	20 km
	Powerful all-round energizer for cow and horse fences.	Very powerful energizer for all fences.	The most powerful energizer for most difficult fencing with extreme leakage.



**FENCER BATTERY**  
9 V / 130 Ah  
NA9130



**DIGITAL VOLT METER**  
NA2227

- indicates the voltage on the fence
- operates with 9 V battery



**FENCE TESTER**  
NA2159

- a good little gauge
- indicates the voltage on the fence on a scale divided in 5

## FENCING WIRES

- polyethene
- UV-guarantee 36 months



ORDER NUMBER	CONDUCTOR	LENGTH
<b>NA2154</b>	inox steel wire 3 x 0,16 mm	250 m
<b>NA2178</b>	inox steel wire 6 x 0,16 mm	500 m
<b>NA2208</b>	inox steel wire 5 x 0,16 mm, tinned copper wire 1 x 0,25 mm	250 m

## FENCING ROPES

- polypropyleeniä
- UV-guarantee 36 months



ORDER NUMBER	CONDUCTOR	THICKNESS	LENGTH
<b>NA2307</b>	inox steel wire 6x0,16 mm	5 mm	200 m
<b>NA2314</b>	inox steel wire 6x0,20 mm	6 mm	200 m

## FENCING TAPES

- polyethene
- UV-guarantee 36 months

ORDER NUMBER	CONDUCTOR	WIDTH	LENGTH
<b>NA2222</b>	inox steel wire 4 x 0,16 mm	10 mm	200 m
<b>NA2253</b>	inox steel wire 4 x 0,16 mm	20 mm	200 m
<b>NA2277</b>	inox steel wire 8 x 0,16 mm	40 mm	200 m
<b>NA2895</b>	inox steel wire 2 x 6 x 0,20 mm	40 mm	200 m <b>FOR WINTER</b>



### GATE HANDLE

**NA1706**


- powerful spring



### GATE HANDLE HOOK

**NA0570**

- 6 pcs/bag



### GATE HANDLE KIT WITH SPRING

**NA2352**

- max. length 5 m

### ELASTIC ROPE GATE

**NA3939**

- max. length 3,2 m



### CORD JOINER

**NA3946**

- 5 pcs



### TAPE CONNECTOR

**NA3953**

- for 20 mm tape
- 5 pcs



### TAPE CONNECTOR

**NA3960**

- for 40 mm tape
- 5 pcs



23.02.2007



**RING ISOLATOR  
with continuing support  
NA1096**  
- 25 pcs/bag



**RING ISOLATOR  
with continuing support  
NA1157**  
- 150 pcs/bucket

Includes  
mounting  
tool



**TAPE INSULATOR  
NA0594**  
- for 10-40 mm tapes  
- 25 pcs/bag



**CORNER INSULATOR  
NA1546**  
- 10 pcs/bag



**LONG DISTANCE  
INSULATOR 220 mm  
NA0624**  
- 15 pcs/bag



**CLIP  
INSULATOR  
NA0549**  
- for spring steel pile, 25 pcs/bag



**MOUNTING  
TOOL  
NA2437**  
- for ring isolator



**WIRE INSULATOR  
NA2994**  
- 50 pcs/bag



**PLASTIC PILE 105 cm**  
NA2888

**PLASTIC PILE 160 cm**  
NA2871

**Firm SPRING STEEL PILE 105 cm with insulator**  
NA2925

