



[www.ikh.fi](http://www.ikh.fi)

# BOATING EQUIPMENT



28





www.ikh.fi

## 28. BOATING EQUIPMENT

Air vents and grilles .....	12	Fenders .....	8
Anchor stand .....	8	Filler cap fuel .....	6
Anchors .....	8	Front support .....	3
Automatic winches .....	5	Fuse casing .....	13
Baler .....	8	Hinges .....	11
Battery boxes .....	6	Holder for auxiliary motor .....	10
Battery shoes .....	6	Indoor lights .....	13
Bilge pumps .....	2	Keel rolls .....	3
Binoculars .....	13	Motor flusher .....	6
Boat hooks .....	7	Motors for wipers .....	9
Boat tracks .....	3	Oars .....	7
Bottle holder .....	10	Oil change pump .....	6
Bottom plugs .....	8	Paddles .....	7
Breather .....	6	Rod holders .....	10
Carbine clips .....	10	Rope pegs .....	9
Chain quick locks .....	10	Rowlocks .....	7
Cigarette lighters .....	13	Safety hinge .....	10
Cleat .....	9	Shackles .....	10
Complete fuel hoses .....	6	Shutter / window holders .....	9
Cover hook .....	9	Shutter rings .....	10
Emergency switch .....	13	Side rolls .....	3
Fan .....	12	Spotlights .....	13
Fan unit .....	12	Switch panels .....	13
Fastening hook .....	9	Water pump .....	2
Fastening spring .....	8	Winch belts and wire .....	4
Fender holders .....	8	Winches .....	4,5
Fender hooks .....	8	Wiper arms and blades .....	9





## BILGE PUMPS



### 12 V TMC

**VE02301**

- lifting height 5 m
- delivery 25 l/min
- connector: Ø 19 mm
- dimensions: Ø 80 mm, H107 mm
- packing size: 1/50
- EAN 6418914613638

### 24 V TMC

**VE02301A**

- lifting height 5 m
- delivery 25 l/min
- connector: Ø 19 mm
- dimensions: Ø 80 mm, H 107 mm
- packing size: 1
- EAN 6418914613645



### 12 V TMC

**VE03607**

- lifting height 4 m
- delivery 125 l/min
- connector Ø 28 mm
- dimensions Ø 120 mm, H 170 mm
- packing size: 1
- EAN 6418914613706

### 24 V TMC

**VE03607A**

- lifting height 4 m
- delivery 125 l/min
- connector Ø 28 mm
- dimensions Ø 120 mm, H 170 mm
- packing size: 1
- EAN 6418914613713



### 12 V TMC

**VE06604**

- lifting height 5 m
- delivery 150 l/min
- connector Ø 32 mm
- dimensions: Ø 130 mm, H 200 mm
- packing size: 1
- EAN 6418914613720



### 12 V TMC

**VE03301**

- lifting height 5 m
- delivery 38 l/min
- connector Ø 19 mm
- dimensions Ø 90 mm, H 125 mm
- packing size: 1
- EAN 6418914613652

### 24 V TMC

**VE03301A**

- lifting height 5 m
- delivery 38 l/min
- connector Ø 19 mm
- dimensions: Ø 90 mm, H 125 mm
- packing size: 1
- EAN 6418914613669



### 12 V TMC

**VE03303**

- lifting height 5 m
- delivery 30 l/min
- connector Ø 19 mm
- dimensions: Ø 88 mm, H 135 mm
- packing size: 1
- EAN 6418914613683



### 12 V TMC Automatic

**VE02310**

- 12 V
- direct/automatic operation: automatic checks the amount of water in every 5 minutes
- in-built switch
- delivery 38 l/min
- connector Ø 19 mm
- dimensions 120x120, H 125 mm
- packing size: 1/24
- EAN 6418914613676



## FLOAT SWITCH FOR BILGE PUMP

**VE08121**

- 12 V/24 V
- when the surface of water raises to approx. 50 mm height the switch turns the pump on
- max. 15 A
- packing size: 1
- EAN 6418914613744



## WATER PUMP 12 V "Caravan"

**VE04301**

- installation inside the water tank
- Ø 11 mm connector
- delivery 7,5 l/min
- lifting height 5 m
- W 36 mm, L 102 mm
- packing size: 1
- EAN 6418914612549



**STRONG**  
*Line*

**KEEL ROLL**

**X009143**

- length 185 mm
- metal tube hole Ø 22 mm
- packing size: 1/20
- EAN 6418914504097



**STRONG**  
*Line*

**KEEL ROLL**

**X009143A**

- length 290 mm
- metal tube hole Ø 29 mm
- suitable bush **X009143D** Ø 16 mm
- packing size: 1/9
- EAN 6418914504165



**STRONG**  
*Line*

**KEEL ROLL**

**X009143B**

- length 135 mm
- metal tube hole Ø 16 mm
- packing size: 1/30
- EAN 6418914504233



**STRONG**  
*Line*

**KEEL ROLL**

**X009143E**

- plastic
- length 185 mm, hole Ø 22 mm
- suitable especially for steel keel
- packing size: 1/35
- EAN 6418914628168



**KEEL ROLL**

**X009143V**

- length 200 mm, hole Ø 25 mm
- made of nylon with natural with pvc coating
- hardness 80 shore
- packing size: 1
- EAN 6418914510562



**STRONG**  
*Line*

**SIDE ROLL**

**X009144**

- length 85 mm
- metal tube Ø 22 mm
- packing size: 1/27
- EAN 6418914504301



**STRONG**  
*Line*

**SIDE ROLL**

**X009144A**

- length 85 mm
- metal tube Ø 22 mm
- packing size: 1/18
- EAN 6418914504479



**STRONG**  
*Line*

**SIDE ROLL**

**X009144B**

- length 110 mm
- metallic center fastening Ø 22 mm
- packing size: 1/21
- EAN 6418914150454



**STRONG**  
*Line*

**KEEL ROLL EXTENSION**

**X009143F**


- plastic
- hole Ø 25 mm
- required 2 pcs/keel roll
- packing size: 1
- EAN 6418914180505



**KEEL ROLL**

**X009143VA**

- length 200 mm, hole Ø 20 mm
- made of nylon with natural with pvc coating
- hardness 80 shore
- packing size: 1
- EAN 6418914510654



**SIDE ROLL**

**X009144V**

- length 79 mm, hole Ø 15 mm
- made of nylon with natural with pvc coating
- hardness 80 shore
- packing size: 1
- EAN 6418914504301



**BOAT TRACK**

**PV0001**

- zinked tubular frame
- keel roll 22x 195 mm, side rolls 22 x 115 mm
- adjustable inclination of side rolls
- width of frame 1010 mm
- packing size: /30
- EAN 6418914624276

**STRONG**  
*Line*



**STRONG**  
*Line*

**FRONT SUPPORT**

**X009145S**

- base 83 x 75 mm, width 140 mm
- hole 13 mm
- soft rubber
- packing size: 1/24
- EAN 6418914705876



**BOAT TRACK**

**PV0003**

- zinked tubular frame
- keel roll 22x 140 mm, side rolls 22 x 70 mm
- adjustable inclination of side rolls
- width of frame 810 mm
- packing size: 1/40
- EAN 6418914630963

**STRONG**  
*Line*



**STRONG**  
*Line*

**FRONT SUPPORT**

**X009145**

- base 75 x 75 mm, width 115 mm
- hole 13 mm
- packing size: 1/35
- EAN 6418914150461

**WINCHES with belt**

• belt drawing force 2500 kg, equipped with safety lock



X009142BX

X009142CX

X009142X

X009142AX

Tuoteno.	X009142BX	X009142CX	X009142X	X009142AX
<b>Drawing force</b>	350 kg	550 kg	800 kg	1150 kg
<b>Speeds</b>	1-speed	1-speed	1-speed, 2-wheels	2-speeds
<b>Belt</b>	4,5 m x 50 mm	7,5 m x 50 mm	7,5 m x 50 mm	7,5 m x 60 mm
<b>Packing size</b>	1/10	1/6	1/6	1/4
<b>EAN</b>	6418914150348	6418914150393	6418914150362	618914150324



**WINCH BELT**

**X009142NH**

- width 50 mm
- length 7,5 m
- drawing force 1500 kg
- latch hook
- packing size: 1/100
- EAN 6418914175105



**WINCH BELT**

**X009142ANH**

- width 60 mm
- length 7,5 m
- drawing force 1500 kg
- latch hook
- packing size: 1/100
- EAN 6418914693869



**WINCH WIRE**

**X009142MH**

- Ø 5 mm
- length 7,5 m
- breaking strength 1000 kg
- latch hook
- packing size: 1
- EAN 6416749403691

**AUTOMATIC WINCHES**



- sealed gearing
- break-maintenance-free
- equipped with automatic load brake which increases safety: the load can be hold in every position by releasing the crank handle
  - pull: turn the crank handle clockwise
  - hold: release the crank handle and the brake holds the load automatically in all positions
  - unhold: turn the crank handle anticlockwise

Wire not included in price.

Suitable Wire: Ø 5 mm TK11405, Ø 6 mm TK14406

Wire lock: V1622A (package 1,9 kg/approx. 120 pcs)

Belt with hook: Ø 5 mm, length 7,5 m X009142MH



Order no.	PV340003	PV340004	PV340001	PV340002
<b>Drawing force 90° angle</b>	530 kg	530 kg	950 kg	950 kg
<b>Drawing force 30° angle</b>	1560 kg	1560 kg	2800 kg	2800 kg
<b>Crank handle</b>	fixed	detachable	fixed	detachable
<b>Length of crank handle</b>	225 mm	225 mm	275 mm	275 mm
<b>Required manual force</b>	250 N	250 N	250 N	250 N
<b>Drum Ø</b>	48 mm	48 mm	60 mm	60 mm
<b>Wire length max.</b>	20 m	20 m	25 m	25 m
<b>Wire. Ø max.</b>	5 mm	5 mm	7 mm	7 mm
<b>Gear ratio of gearbox</b>	3,86:1	3,86:1	8,75:1	8,75:1
<b>Suitable width of belt</b>	35-40 mm	35-40 mm	50 mm	50 mm
<b>Weight</b>	4,7 kg	4,7 kg	8,5 kg	8,5 kg
<b>Packing size</b>	1	1	1	1
<b>EAN</b>	6418914700130	6418914700147	6418914173880	6418914700123

**SAFETY!**

**WINCHES WITH AUTOMATIC BRAKES**



- the automatic brake turns on immediately to prevent accidents after grip slips from the handle e.g. in situation when launching the boat on the water
- body made of steel, zinc coated
- packing size: 1



Order no.	PV340101	PV340102	PV340103	PV340104
<b>Drawing force</b>	350 kg	550 kg	750 kg	950 kg
<b>Length of crank</b>	180 mm	180 mm	230 mm	270 mm
<b>Drum Ø</b>	90 mm	135 mm	135 mm	135 mm
<b>Drum width</b>	50 mm	50 mm	50 mm	60 mm
<b>Transmission ratio</b>	1 : 2,4	1 : 4	1 : 4	1 : 9,6
<b>Weight</b>	2,5 kg	4,0 kg	4,5 kg	6,5 kg
<b>Suitable belt</b>	X009142NH	X009142NH	X009142NH	X009142ANH
<b>EAN</b>	6418914186194	6418914186200	6418914186217	6418914186224

**MAX. DRAWING FORCE:**

Inclination	Angle of inclination	PV340101	PV340102	PV340103	PV340104
5 %	3°	700 kg	1250 kg	1400 kg	1600 kg
10 %	6°	650 kg	1125 kg	1250 kg	1470 kg
20 %	12°	490 kg	1000 kg	1080 kg	1295 kg
30 %	17°	450 kg	900 kg	950 kg	1170 kg
50 %	27°	400 kg	750 kg	800 kg	995 kg




# BOATING EQUIPMENT



## BATTERY SHOE PAIR, LEAD

**VE810**

- packing size: 1/12/72
- EAN 6418914624009



## BATTERY SHOE PAIR, BRASS

**VE811**

- packing size: 1
- EAN 6418914624016



## BATTERY SHOE PAIR, BRASS

**IKH7103**

- packing size: 1/200
- EAN 6418914709577

## COMPLETE FUEL HOSES

- PVC-hose with pump part
- hangable plastic package
- overall length 210 mm



## YAMAHA 5/16"

**VE814**

- packing size: 1
- EAN 6418914624047



## OMC 5/16"

**VE815**

- packing size: 1
- EAN 6418914624054



## UNIVERSAL MODEL 5/16"

**VE816**

- packing size: 1
- EAN 6418914624061



## BATTERY BOXES

- very strong acid proof plastic
- incl. belt, links and screws (stainless steel)

**VE812**

- dimensions: L300 x W200 x H200 mm
- packing size: /12
- EAN 6418914624023

**VE813**

- dimensions: L360 x W200 x H240 mm
- packing size: /12
- EAN 6418914624030



## Fuel tank BREATHER

**VE203S**


- stainless steel
- tube 90° chrome-plated brass
- connector Ø 14 mm
- packing size: 1
- EAN 6418914613904



## FILLER CAP FUEL

**VE1251F**

- size 1 1/2"
- packing size: 1
- EAN 6418914513935



## MOTOR FLUSHER

**VE808**

- rounded
- packing size: 1
- EAN 6418914623989



## OIL CHANGE PUMP

**VE261**

- brass body
- construction oil-resistant rubber and acetate
- inlet hose Ø 8 mm, length 700 mm
- outlet hose Ø 11 mm, length 250 mm
- recommended to run the motor before changing oil
- capacity approx. 3 dl/pull
- packing size: 1
- EAN 6418914613973

# BOATING EQUIPMENT



## SEA OARS

- round
- packing size: /5

Order no.	Length	EAN
VE920	225 cm	
VE921	240 cm	
VE922	270 cm	



## LAKE OARS

- angular
- packing size: /5

Order no.	Length	EAN
VE923	225 cm	
VE924	240 cm	
VE925	270 cm	



## INDIAN PADDLE

### VE926

- length 150 cm
- packing size: /10
- EAN



## PADDLE/BOAT HOOK

- anodised aluminium shaft, plastic paddle part and hook
- packing size: /20



Order no.	Length	EAN
VE804	120 cm	6418914623941
VE804L	160 cm	6418914500914



## TELESCOPIC BOAT HOOK

### VE803

- aluminium
- 1,2 - 2,0 m
- packing size: 1
- EAN 6418914623934



## ROWLOCK PAIR, nylon

### VE800

- height 55 mm, spindle 5/8"
- packing size: 1/50
- EAN 6418914623903



## ROWLOCK MOUNTING PAIR, SUNK MODEL

### VE801

- nylon
- packing size: 1/200
- EAN 6418914623910



## OPEN ROWLOCK aluminium

### VE908

- gap Ø 53 mm
- length 150 mm, width 90 mm
- shank Ø 17 mm, length 50 mm
- packing size: 1/10/50



## JOINT ROWLOCK PAIR aluminium

### VE909

- mounting Ø 40 - 46 mm
- length 142 mm, width 83 mm
- shank Ø 17 mm, length 50 mm
- packing size: 1/10/400
- EAN 6418914633063



## LAKE ROWLOCK aluminium

### VE910

- thickness of mounting point max. 46 mm
- length 133 mm., width 65 mm
- shank Ø 17 mm, length 50 mm
- packing size: 1/10/60
- EAN 6418914633070



## ROWLOCK BUSHING sunk model, aluminium

### VE911

- bush Ø 17,4 mm, plastic
- sink to the hole Ø 29 mm
- dimensions: H57, W82, D32 mm
- packing size: 1/10/900
- EAN 6418914633087



## ROWLOCK BUSHING side, aluminium

### VE912

- bush Ø 17,4 mm, plastic
- mounting to the side, surface mounting
- dimensions: H44, W93, D56 mm
- packing size: 1/10/700
- EAN 6418914633094




## BUSH, 2 pcs FOR ROWLOCK BUSHING

### VE913

- plastic, inner Ø 17,4 mm
- suits for VE911, VE912
- packing size: 1/10/500
- EAN 6418914633506





### 4-PEGGED ANCHORS

- zink-plated cast iron
- packing size: 1



Order no.	Weight	EAN
VE900	0,7 kg	6418914627352
VE901	1,5 kg	6418914627369
VE902	2,3 kg	6418914627376
VE903	3,5 kg	6418914627383
VE904	5,5 kg	6418914627390
VE905	8,0 kg	6418914627406
VE906	10,0 kg	6418914627413
VE907	15,0 kg	6418914627420



### FENDERS

- fill with air by using a special filling nipple

Order no.	Size	Pack. size	EAN
VE823	560 x 150 mm	1/12	6418914635517
VE824	500 x 140 mm	1/18	6418914635524
VE825	400 x 115 mm	1/30	6418914635531



### ANCHOR STAND

VE833

- material stainless steel AISI 316
- includes fasteners
- packing size: 1
- EAN 6418914500587



### FENDER HOLDER PAIRS

- packing size: 1

Order no.	Size	EAN
VE830	6"	6418914500556
VE831	8"	6418914500563
VE832	10"	6418914500570



### FENDER HOOKS

VE250

- stainless steel
- L 30, W 30, H 19 mm
- packing size: 1/10/200
- EAN 6418914614154

VE251

- chrome-plated brass
- L 30, W 34, H 25 mm
- with clasp
- packing size: 1/10
- EAN 6418914614161

VE252

- chrome-plated brass
- L 38, W 34, H 34 mm
- with clasp
- packing size: 1/10/200
- EAN 6418914614178



### FASTENING SPRING

VE809

- zink-plated steel
- packing size: 1/250
- EAN 6418914623996



### BOTTOM PLUG

VE927

- Ø 22 mm
- packing size: 1
- EAN



### BOTTOM PLUG, SNAP

VE805

- brass
- packing size: 1/48
- EAN 6418914623958

plastex

### BALER

PX362

- colour: orange
- packing size: 20/560
- EAN 6416061003623





**WIPER ARM + BLADE 11"**

**VE00007**

- length of blade 275 mm
- adjustable arm length 215-310 mm
- arm made of stainless steel
- for Ø 6 mm shaft
- packing size: 1
- EAN 6418914613485

**WIPER ARM + BLADE 14"**

**VE00008**

- length of blade 355 mm
- adjustable arm length 250-390 mm
- arm made of stainless steel
- for Ø 6 mm shaft
- packing size: 1
- EAN 6418914613492



**WIPER BLADES**

- straight, stainless steel
- for 5,5 mm arm (VE00007, VE00008)

Order no.	Length	Packing size	EAN
VE00014	275 mm/11"	1	6418914613539
VE00015	350 mm/14"	1	6418914613546



**WIPER BLADES**

- straight, stainless steel
- for 7 mm arm

Order no.	Length	Packing size	EAN
VE00016	275 mm/11"	1	6418914613553
VE00018	395 mm/16"	1	6418914613577

**MOTORS FOR WIPERS**

- stainless steel
- waterproof
- automatically returning
- packing size: 1



Order no.	Voltage	Wiping angle	EAN
VE00301	12 V	90°	6418914613584
VE00302	12 V	110°	6418914613607



**SHUTTER / WINDOW HOLDERS**

**VE228**

- chrome-plated brass
- adjustable 250-435 mm
- packing size: 1
- EAN 6418914614086

**VE228L**

- chrome-plated brass
- adjustable 330-595 mm
- packing size: 1
- EAN 6418914614093



**COVER HOOK VE253**

- chrome-plated brass
- L 25, W 23, H 19 mm
- packing size: 1
- EAN 6418914614185




**CLEAT 2-headed VE254**

- chrome-plated brass
- L 60, W 18, H 19 mm
- packing size: 1
- EAN 6418914614192



**COVER HOOK VE146**

- 2 pcs / package
- stainless steel
- L 32, W 12, T 1,5 mm
- packing size: 1/10/2000
- EAN 6418914614147



**ALUMINIUM ROPE PEGS**

- aluminium casted, smooth surface
- holes 1/4"

**13 cm**

**VE820**

- packing size: 1/364
- EAN 6418914624108

**15 cm**

**VE821**

- packing size: 1/264
- EAN 6418914624115

**20 cm**

**VE822**

- packing size: 1/160
- EAN 6418914624122



**CARBINE CLIPS**

- stainless steel
- packing size: 1/10

Order no.	Material-vahvuus	EAN
B9058	6 mm	6418914500495
B9059	8 mm	6418914500501
B9060	10 mm	6418914500518
B9061	12 mm	6418914500525
B9062	14 mm	6418914500532
B9063	16 mm	6418914500549



**SHACKLES**

- stainless steel
- packing size: 1

Order no.	Size	EAN
VE1331	1/4"	6418914616912
VE1332	5/16"	6418914616929
VE1333	3/8"	6418914616936
VE1335	1/2"	6418914616943

**CHAIN QUICK LOCKS**

- stainless steel
- packing size: 1



Order no.	Size	EAN
VE1402	3/16"	6418914616950
VE1403	1/4"	6418914616967
VE1404	5/16"	6418914616974
VE1405	3/8"	6418914616981



**FISHING ROD HOLDER**

**VE914**

- plastic
- fence - and edge mounting
- adjustable rod angle 10° - 80°
- 12 different positions of rod
- rotates 360°
- packing size: 1/36
- EAN 6418914705715



**FLUSH ROD HOLDERS**

**VE117PB**

- plastic, colour black
- inner Ø 40 mm, L 240 mm
- packing size: 1/10
- EAN 6418914613980



**HOLDER FOR AUXILIARY MOTOR**

**VE400S**

- firm frame made of anodized aluminium
- fastening plate made of polypropylene
- bolts, nuts and springs stainless steel
- suits for outboard motor up to 20 hv
- packing size: 1
- EAN 6418914614048



**FLUSH ROD HOLDERS**

**VE117PW**

- plastic, white colour
- inner Ø 40 mm, L 240 mm
- packing size: 1
- EAN 6418914613997



**SHUTTER RINGS**

**VE1821**

- stainless steel
- 76x56x1 mm
- packing size: 1
- EAN 6418914614055

**VE241B**

- polished brass
- 63x48x8mm
- packing size: 1
- EAN 6418914614062

**VE241BCP**

- chrome-plated brass
- 63x48x8mm
- packing size: 1
- EAN 6418914614079



**BOTTLE HOLDER**

**VE1181**

- plastic
- folding
- packing size: 1
- EAN 6418914614031



**SAFETY HINGE**

**VE112**

- stainless steel
- L 98, W 24, T 1,5 mm
- packing size: 1/10
- EAN 6418914614406



**HINGE**

**VE158**

- stainless steel
- L 35, W 37, T 2 mm
- packing size: 1/10
- EAN 6418914614284



**HINGE**

**VE151**

- stainless steel
- L 53, W 37, T 2 mm
- packing size: 1/10/200
- EAN 6418914614208

**HINGE**

**VE153**

- stainless steel
- L 75, W 37, T 2 mm
- packing size: 1/10
- EAN 6418914614215

**HINGE**

**VE154**

- stainless steel
- L 84, W 37, T 2 mm
- packing size: 1/10
- EAN 6418914614222



**HINGE**

**VE170**

- stainless steel
- L 72, W 38, T 2 mm
- packing size: 1/10
- EAN 6418914614345



**HINGE**

**VE1531**

- stainless steel
- L 76, W 37, T 2 mm
- packing size: 1/10
- EAN 6418914614260

**HINGE**

**VE1541**

- stainless steel
- L 97, W 37, T 2 mm
- packing size: 1/10
- EAN 6418914614277



**HINGE**

**VE1101**

- stainless steel
- L 50, W 33, T 1 mm
- packing size: 1/10
- EAN 6418914614383

**HINGE**

**VE1102**

- stainless steel
- L 63, W 39, T 1 mm
- packing size: 1/10
- EAN 6418914614741

**HINGE**

**VE1103**

- stainless steel
- L 76, W 47, T 1 mm
- packing size: 1/10/200
- EAN 6418914614390



**HINGE**

**VE11314**

- stainless steel
- L 102, W 31, T 2 mm
- packing size: 1/10
- EAN 6418914614413

**HINGE**

**VE11315**

- stainless steel
- L 136, W 31, T 2 mm
- packing size: 1/10
- EAN 6418914614420



VE172

**HINGES**

**VE172**

- stainless steel
- L 140, W 38, T 2 mm
- packing size: 1/10
- EAN 6418914614369

VE161

**HINGES**

**VE161**

- stainless steel
- L 130, W 40, T 2 mm
- packing size: 1/10
- EAN 6418914614314

VE161

**HINGES**

**VE162**

- stainless steel
- L 180, W 40, T 2 mm
- packing size: 1/10
- EAN 6418914614321



**AIR VENT 5"**

**VE131**

- stainless steel
- adjustable
- Ø 127 mm
- packing size: 1
- EAN 6418914613843



**AIR VENT**

**VE722**

- adjustable
- cover made of stainless steel, plastic body
- Ø 200 mm, height of cover 60 mm
- packing size: 1
- EAN 6418914613898



**PLASTIC VALVES**

- size: 82x82
- packing size: 1/10

Order no.		EAN
B9070	black	6418914500594
B9071	white	6418914500600



**AIR GRILLE**

**VE138**

- stainless steel
- H 127, W 65, T 0,8 mm
- packing size: 10
- EAN 6418914613850



**AIR GRILLE**

**VE139**

- stainless steel
- L 127, W 115, T 0,8 mm
- packing size: 10
- EAN 6418914613867



**AIR GRILLE**

**VE140**

- stainless steel
- L 230, W 115, T 0,8 mm
- packing size: 1
- EAN 6418914613881



**AIR GRILLE**

**VE141**

- stainless steel
- L 228, W 127, T 0,8 mm
- packing size: 1
- EAN 6418914613874



**FAN 12 V TMC turning 90°**

**VE03404**

- wings Ø 150 mm
- adjustable blow angle both vertically and horizontally
- blows automatically by turning 90° area (oscillating)
- lockable also to one position
- the grating protects the wings
- dimensions: H 235, W 180, D 150 mm
- packing size: 1
- EAN 6418914613782



**FAN UNIT 12 V TMC**

**VE03703**

- 12 V/4,5 A
- through-blowing
- encapsulated motor
- delivery 2,8 m3/min
- connector Ø 78 mm
- L 210, W 135, H 111,5 mm
- packing size: 1
- EAN 6418914613812



VE915



VE916

**BINOCULARS**

- water proof
- packing size: /5

Product no.	Size	EAN
VE915	7 x 18	6418914512948
VE916	10 x 25	6418914512955



**SPOTLIGHT 12 V/55 W**

VE0223

- halogen bulb 12 V/55 W H3
- neopren rubber
- water-resistant
- switch in rubber cover
- threaded cord 2,5 m, with plug
- vacuum Ø 100 mm
- formed handle
- packing size: 1

EAN 6418914614550



Accessories



**SPOTLIGHT 12 V/100 W**

VE022XDC

- halogen bulb 12 V/100 W H3
- neopren rubber
- water-resistant
- equipped with switch
- threaded cord 2,5 m, with switch
- vacuum Ø 140 mm
- formed handle
- packing size: 1

EAN 6418914614567



Accessories



**LAYABLE PYLON**

VE806

- height 60 cm
- anodized aluminium shaft
- packing size: 1

EAN 6418914623965



Accessories



**TELESCOPIC PYLON**

VE807

- height max. 60 cm
- anodized aluminium shaft
- packing size: 1

EAN 6418914623972



Accessories



Accessories

**INDOOR LIGHT 12 V**

VE019

- 12V/21 W
- socket BA15D
- stainless steel
- switch
- glass Ø 100 mm
- light Ø 135 mm
- packing size: 1/50

EAN 6418914614451



Accessories

**INDOOR LIGHT 12 V**

VE020

- 12V/21 W
- socket BA15D
- stainless steel
- switch
- glass Ø 120 mm
- light Ø 175 mm
- packing size: 1

EAN 6418914614468



Accessories

**INDOOR LIGHT 12 V**

VE641

- brass frame
- 12 V/5 W
- socket BA15D
- switch
- casing Ø 120 mm
- light Ø 140 mm
- packing size: 1/50

EAN 6418914614482



**SWITCH PANELS**

VE0258A

- 12 V
- 6 switches with signal light + fuses
- aluminium display, teak imitation
- dimensions: 70 x 154 mm
- packing size: 1

EAN 6418914614635



Accessories



**SWITCH PANELS**

VE500

- 12 V
- 3 switches with signal light + fuses
- battery voltage meter for two batteries
- cigarette lighter with fuse
- aluminium display
- dimensions: 115x165 mm
- packing size: 1

EAN 6418914614659



Accessories



Accessories

**FUSE CASING**

VE025FHF

- incl. 15 A fuse
- packing size: 1/10

EAN 6418914614574



Accessories

**EMERGENCY SWITCH 12 V**

VE048A

- 12 V/15 A
- for boats, snowmobiles etc.
- packing size: 1

EAN 6418914614581



Accessories

**CIGARETTE LIGHTER 12V**

IKH1002

- packing size: 1/20/200

EAN 6418914624191



Accessories

**CIGARETTE LIGHTER protected 12 V**

IKH1003

- packing size: 1/20/200

EAN 6418914624207

