



www.ikh.fi

STRIKING TOOLS





www.ikh.fi

9. STRIKING TOOLS

Adapter	2	Impact driver sets	2
Bits for impact driver	3	Jointing chisel	4
Brass punch set	7	Letter stamp set	8,10
Center punches	10	Mounting iron	7
Centre punch sets	5,9	Parallel pin punch set	5
Chisel/punch assortment	6	Parallel pin punches	5
Chisels	4,5,9	Pin punch set	9
Crosscut chisels	4	Pointed chisels	5
Electrician's chisels	4	Punch and chisel sets	9
Figure stamp set	8,10	Ring slogging spanners	3
Hand protect grips	6	Scrapers	7
Hollow punches	8,10	Sliding hammer bry bar	10
Impact driver	2,3	Taper punches	6



IMPACT DRIVERS



Tight screws, e.g. in car doors, can be difficult to loosen or properly fasten with manual screwdrivers. The Wera impact range solves this problem.

The Wera impact screwdriver torsion force is 80 Nm. By comparison: a strong person can develop only 15 Nm by hand. Anywhere pneumatic tools cannot be employed due to cost or space requirements, the Wera impact screwdrivers are the best tools for the job.



IMPACT DRIVER 80 Nm 2080

W072005


- with adaptor 2081 for use of 5/16" screwdriver bits
- drive 1/2"
- length 165 mm
- packing size: 1
- EAN 4013288021571



BITS FOR IMPACT DRIVERS

800/2 S

- for slotted screws for use in impact drivers
- drive 5/16" hexagon, DIN 3126-C8, ISO 1173
- tip, slotted DIN 5264-B, ISO 2380



Order no.	mm	mm	mm	Packing size	EAN
W072110	1,2	6,5	41	/10	4013288011336
W072115	1,6	8,0	41	/10	4013288011343
W072130	2,5	14,0	41	/10	4013288011374

851/2 S

- for Phillips screws for use in impact drivers
- drive 5/16" hexagon, DIN 3126-C8, ISO 1173
- tip, Phillips, DIN 5260-PH, ISO 8764-PH



Order no.	Size	mm	Packing size	EAN
W072305	PH 1	32	/10	4013288013712
W072310	PH 2	32	/10	4013288013729
W072315	PH 3	32	/10	4013288013736
W072320	PH 4	38	/10	4013288013743



IMPACT DRIVER SET 80 Nm 2080/B 9

W073415

- includes:
 - 2080 impact driver
 - 2081 adaptor
 - slotted bits 800/2 S: 1,0 x 5,5mm, 1,2 x 6,5 mm, 1,6 x 8,0 mm, 1,6 x 10,0 mm, 2,0 x 12,0 mm, 2,5 x 14,0 mm
 - Phillips-bits 851/2 S: PH 2, PH 3, PH 4
- strong metal case
- packing size: 1
- EAN 4013288021595



IMPACT DRIVER SET 80 Nm 2080/4

W073405

- includes:
 - 2080 impact driver
 - 2081 adaptor
 - slotted bits 800/2 S: 1,2 x 6,5 mm, 1,6 x 8,0 mm
 - Phillips-bits 851/2 S: PH 2, PH 3
- strong metal case
- packing size: 1
- EAN 4013288021588



IMPACT DRIVER+ 13 BITS

XCY25B13

- 1/2" driver
- sockets etc. fits
- bits:
 - 4 pcs of Phillips #1, 2, 3, 4
 - 5 pcs of slotted 5, 6, 8, 10, 12 mm
 - 4 pcs of hex 4, 5, 6, 8 mm
- packing size: 1/20

EAN 6418914607033



IMPACT DRIVER REPLACEMENT BIT SET 4 pcs

XCY25B13A

- includes bits 5//16" x 36 mm:
 - slotted 8 and 10 mm, PH2, PH3
- packing size: 1/200

EAN 6418914705708

RING SLOGGING SPANNERS



Order no.	Size	Packing size	EAN
IKH7362	24 mm	1/5/50	6418914546561
IKH7363	27 mm	1/5/50	6418914546578
IKH7364	30 mm	1/5/50	6418914546585
IKH7365	32 mm	1/5/50	6418914546592
IKH7366	36 mm	1/5/40	6418914546608
IKH7367	41 mm	1/5/20	6418914546615
IKH7368	46 mm	1/5/20	6418914546622
IKH7369	50 mm	1/5/12	6418914546639
IKH7370	55 mm	1/2/12	6418914546646
IKH7371	60 mm	1/2/12	6418914546653
IKH7372	65 mm	1/2/12	6418914546660
IKH7373	70 mm	1/2/4	6418914546677
IKH7374	75 mm	1/2/4	6418914546684
IKH7375	80 mm	1/2/2	6418914546691
IKH7376	85 mm	1/2/2	6418914546707



RING SLOGGING SPANNERS

Tyyppi 406 DIN7444

- packing size: 1



Order no.	Kukkono.	Size	Length	Thickness	Height of ring	Weight	EAN
KU40624	406-24	24 mm	180 mm	16 mm	47 mm	0,51 kg	4021176856549
KU40627	406-27	27 mm	180 mm	16 mm	47 mm	0,49 kg	4021176856624
KU40630	406-30	30 mm	185 mm	16 mm	51 mm	0,48 kg	4021176856709
KU40632	406-32	32 mm	190 mm	17 mm	56 mm	0,72 kg	4021176856884
KU40636	406-36	36 mm	195 mm	19 mm	58 mm	0,68 kg	4021176856969
KU40641	406-41	41 mm	230 mm	21,5 mm	72 mm	0,40 kg	4021176857041
KU40646	406-46	46 mm	235 mm	22 mm	74 mm	1,30 kg	4021176857126
KU40650	406-50	50 mm	240 mm	22,5 mm	76 mm	1,28 kg	4021176857201
KU40655	406-55	55 mm	270 mm	26 mm	94 mm	2,80 kg	4021176257386
KU40660	406-60	60 mm	270 mm	26,5 mm	94 mm	2,70 kg	4021176857461
KU40665	406-65	65 mm	280 mm	28 mm	100 mm	2,50 kg	4021176857539
KU40670	406-70	70 mm	330 mm	35 mm	115 mm	4,80 kg	4021176857614
KU40675	406-75	75 mm	330 mm	35 mm	115 mm	3,40 kg	4021176857799
KU40680	406-80	80 mm	345 mm	35 mm	125 mm	3,80 kg	4021176857874
KU40685	406-85	85 mm	380 mm	38 mm	140 mm	5,10 kg	4021176857959
KU40690	406-80	90 mm	380 mm	40 mm	150 mm	5,60 kg	4021176858031
KU40695	406-95	95 mm	380 mm	42 mm	150 mm	6,40 kg	4021176858116
KU406100	406-100	100 mm	430 mm	45 mm	152 mm	7,75 kg	4021176858291
KU406105	406-105	105 mm	430 mm	47 mm	175 mm	9,70 kg	4021176858376
KU406110	406-110	110 mm	430 mm	47 mm	175 mm	9,30 kg	4021176858451
KU406115	406-115	115 mm	430 mm	47 mm	175 mm	8,50 kg	4021176858529
KU406120	406-120	120 mm	482 mm	54 mm	180 mm	9,70 kg	4021176858604

STRIKING TOOLS



- made of hardened chrome-vanadium-steel
- the forged chisels and punches are quenched and tempered as a whole to guarantee a good resiliency and to resist hard working stress, thus offering a long service life

- owing to the hardened striking heads, no splintering and "mushroom" heads will occur
- blades are polished or lacquered
- shanks of all striking tools are dip-coated in gold lacquer



FLAT CHISELS

• DIN 6453



Order no.	Length	Shank	Blade W	Weight	Pack. size	EAN
KNR3101000	100 mm	14 x 9 mm	15 mm	90 g	1/10	4003773910589
KNR3101500	150 mm	17 x 11 mm	18 mm	205 g	1/10	4003773910626
KNR3102000	200 mm	23 x 13 mm	24 mm	370 g	1/10	4003773910664
KNR3102500	250 mm	23 x 13 mm	25 mm	500 g	1/10	4003773910688
KNR3103000	300 mm	23 x 13 mm	26 mm	600 g	1/10	4003773910725



MASON'S CHISELS

• DIN 7254A



Order no.	Length	Shank Ø	Blade W	Weight	Pack. size	EAN
KNR3402000	200 mm	20 x 12 mm	26 mm	330 g	1/10	4003773911173
KNR3403000	300 mm	23 x 13 mm	29 mm	600 g	1/5	4003773901211



ELECTRICIAN'S CHISELS



Order no.	Length	Shank Ø	Blade W	Weight	Pack. size	EAN
KNR3612021	200 mm	10 mm	12 mm	140 g	1/10	4003773911586
KNR3612520	250 mm	10 mm	12 mm	190 g	1/10	4003773911609



CROSSCUT CHISELS

• DIN 6451



Order no.	Length	Shank Ø	Blade W	Weight	Pack. size	EAN
KNR3202001	200 mm	20 x 12 mm	8 mm	340 g	1/10	4003773910916
KNR3202501	250 mm	23 x 13 mm	9 mm	560 g	1/10	4003773910930



JOINTING CHISEL

KNR3850500

- length 250 mm
 - shank 23 x 13 mm
 - width of blade 50 mm
 - weight 550 g
 - packing size: 1/5
- EAN 4003773911920



STRIKING TOOLS



- made of hardened chrome-vanadium-steel
- the forged chisels and punches are quenched and tempered as a whole to guarantee a good resiliency and to resist hard working stress, thus offering a long service life

- owing to the hardened striking heads, no splintering and “mushroom” heads will occur
- blades are polished or lacquered
- shanks of all striking tools are dip-coated in gold lacquer



POINTED CHISELS

• DIN 7256



Order no.	Length	Shank Ø	Weight	Pack. size	EAN
KNR3302000	200 mm	16 mm	300 g	1/10	4003773901005
KNR3302500	250 mm	16 mm	365 g	1/10	4003773911340
KNR3303000	300 mm	18 mm	570g	1/5	4003773911050



CENTRE PUNCHES

• DIN 7250



Order no.	Length	Shank Ø	Blade	Weight	Packing size	EAN
KNR4301000	100 mm	8 mm	3 mm	30 g	1/30	4003773902362
KNR4311200	120 mm	10 mm	5 mm	75 g	1/30	4003773902392
KNR4341500	150 mm	14 mm	6 mm	180 g	/10	4003773924067



PARALLEL PIN PUNCHES

- length 150 mm
- DIN 6450



Order no.	Shank Ø	Head Ø	Weight	Pack. size	EAN
KNR4500020	10 mm	2 mm	65 g	1/10	4003773912781
KNR4500030	10 mm	3 mm	70 g	1/10	4003773912804
KNR4500040	10 mm	4 mm	70 g	1/10	4003773902828
KNR4500050	10 mm	5 mm	75 g	1/10	4003773912842
KNR4500060	10 mm	6 mm	80 g	1/10	4003773912859
KNR4500070	12 mm	7 mm	110 g	1/10	4003773902867
KNR4500080	12 mm	8 mm	115 g	1/10	4003773912873
KNR4500090	12 mm	9 mm	120 g	1/10	4003773921806
KNR4500100	12 mm	10 mm	125 g	1/10	4003773912880
KNR4510120	14 mm	12 mm	135 g	/10	4003773924050
KNR4510140	16 mm	14 mm	175 g	/10	4003773925293



PARALLEL PIN PUNCH SET 6 pcs

KNR4251500

- includes 6 pcs of punches, sizes Ø 3, 4, 5, 6, 8 and 10 mm
- length of punch 150 mm
- lacquered blades
- packing size: /1

EAN 4003773902232



STRIKING TOOLS



- made of hardened chrome-vanadium-steel
- the forged chisels and punches are quenched and tempered as a whole to guarantee a good resiliency and to resist hard working stress, thus offering a long service life

- owing to the hardened striking heads, no splintering and “mushroom” heads will occur
- blades are polished or lacquered
- shanks of all striking tools are dip-coated in gold lacquer



TAPER PUNCHES

- DIN 6458
- length 120 mm



Order no.	Shank Ø	Head Ø	Weight	Pack. size	EAN
KNR4400020	10 mm	2 mm	65 g	1/10	4003773912439
KNR4400030	10 mm	3 mm	70 g	1/10	4003773912446
KNR4400040	10 mm	4 mm	70 g	1/10	4003773912453
KNR4400050	10 mm	5 mm	80 g	1/10	4003773912460



CHISEL / PUNCH ASSORTMENT 90 pcs + DISPLAY

KNR4292010

- includes:
 - 5 pcs pointed chisels, length 250 mm, shank Ø 16 mm
 - 5 pcs electrician chisels, length 200 mm, shank Ø 8 mm
 - 5 pcs electrician chisels, length 250 mm, shank Ø 9 mm
 - 5 pcs flat chisels, length 200 mm, shank 23 x 13 mm
 - 5 pcs flat chisels, length 250 mm, shank 23 x 13 mm
 - 5 pcs flat chisels, length 300 mm, shank 23 x 13 mm
 - 5 pcs crosscut chisels, length 250 mm, shank 23 x 13 mm
 - 5 pcs crosscut chisels, length 200 mm, shank 20 x 12 mm
 - 5 pcs crosscut chisels, length 250 mm, shank 26 x 13 mm
 - 5 pcs par. pin punches, length 150 mm, shank Ø10 mm, Ø 2 mm
 - 5 pcs par. pin punches, length 150 mm, shank Ø10 mm, Ø 3 mm
 - 5 pcs par. pin punches, length 150 mm, shank Ø10 mm, Ø 4 mm
 - 5 pcs par. pin punches, length 150 mm, shank Ø10 mm, Ø 5 mm
 - 5 pcs taper punches, length 120 mm, shank Ø10 mm, Ø 2 mm
 - 5 pcs taper punches, length 120 mm, shank Ø10 mm, Ø 3 mm
 - 5 pcs taper punches, length 120 mm, shank Ø10 mm, Ø 4 mm
 - 5 pcs taper punches, length 120 mm, shank Ø10 mm, Ø 5 mm
 - 5 pcs centre punches, length 120 mm, shank Ø10 mm
- display made of transparent acrylic glass
- packing size: /1
- EAN 4003773902294



RIVET HEADER SET 5-pcs

KNR4461000

- DIN 6435
- the set includes:
 - 1 pc rivet Ø 2 mm, hole Ø 3,5 mm, shank Ø 10 mm
 - 1 pc rivet Ø 3 mm, hole Ø 5,2 mm, shank Ø 10 mm
 - 1 pc rivet Ø 4 mm, hole Ø 7 mm, shank Ø 12 mm
 - 1 pc rivet Ø 5 mm, hole Ø 8,8 mm, shank Ø 14 mm
 - 1 pc rivet Ø 6 mm, hole Ø 10,5 mm, shank Ø 16 mm
 - 1 pc plastic stand
- packing size: /1
- EAN 4003773915614



HAND PROTECT GRIP FOR FLAT OR OCTAGONAL CHISELS

KNR395110

- length 110 mm
- for Ø 16-20 mm octagonal chisels
- for 20 x 12 and 26 x 13 mm flat chisels
- weight 105 g
- packing size: /1
- EAN 4003773902164

HAND PROTECT GRIP FOR FLAT CHISELS

KNR395111

- length 110 mm
- for 23 x 13 mm flat chisels
- weight 105 g
- packing size: /1
- EAN 4003773920960

STRIKING TOOLS



- made of hardened chrome-vanadium-steel
- the forged chisels and punches are quenched and tempered as a whole to guarantee a good resiliency and to resist hard working stress, thus offering a long service life

- owing to the hardened striking heads, no splintering and "mushroom" heads will occur
- blades are polished or lacquered
- shanks of all striking tools are dip-coated in gold lacquer



TRIANGULAR SPOON SCRAPER

KNR4641500

- spoon-model
- length 150 mm
- blade 8 mm
- alloy tool steel
- lacquered grip
- blade ground
- weight 120 g
- packing size: /5
- EAN 4003773908463



HOLLOW GROUND SCRAPERS

- triangular model
- DIN 8350
- alloy tool steel
- wooden, lacquered grip
- blade ground



Order no.	Length	Tip	Weight	Pack.-size	EAN
KNR4621500	150 mm	14 mm	100 g	/10	4003773902973
KNR4622500	250 mm	16 mm	185 g	/10	4003773902997



MOUNTING IRON 600 mm

KNR4736000

- length 600 mm
- shank Ø 20 mm
- thickness of flat head 5 mm
- special tool steel, polished cone
- weight 1320 g
- packing size: /2
- EAN 4003773915621



BRASS PUNCH SET 3-pcs

XHS5000

- made of brass, no sparks when stroking
- handle made of plastic
- packing size: 1
- EAN 6418914637160



Shaft	Tip	Length
16 mm	10 mm	220 mm
20 mm	20 mm	253 mm
22 mm	15,5 mm	298 mm

HOLLOW PUNCHES



- for punching or producing gaskets, seals and seal rings out of rubber, leather, felt, plastic, cork, textiles etc.
- made of high-grade, special-purpose, drop-forged steel
- induction-rehardened cutting nose

- hard-wearing stove-enamel finish
- smooth shaft
- note! To keep from damaging the cutting nose, always place the workpiece on a suitable nonmetallic backing material, e.g. wood, plastic.



STRAIGHT

Order no.	Size mm	Weight g	Packing size	EAN
KU325002	2	15	1/10	4027474619039
KU325003	3	15	1/10	4027474619114
KU325004	4	25	1/10	4027474619299
KU325005	5	25	1/10	4027474619374
KU325006	6	35	1/10	4027474619459
KU325007	7	55	1/10	4027474619527
KU325008	8	65	1/10	4027474619602
KU325009	9	70	1/10	4027474619787
KU325010	10	90	1/10	4027474619862



CONICAL

• DIN7200



Order no.	Size mm	Weight g	Packing size	EAN
KU326002	2	45	1/10	4027474620837
KU326003	3	45	1/10	4027474620912
KU326004	4	45	1/10	4027474621094
KU326005	5	50	1/10	4027474621179
KU326006	6	70	1/10	4027474621254
KU326007	7	70	1/10	4027474621339
KU326008	8	70	1/10	4027474621414
KU326009	9	100	1/10	4027474621582
KU326010	10	100	1/10	4027474621667
KU326012	12	140	1/10	4027474621827
KU326014	14	140	1/10	4027474622084
KU326016	16	190	1/10	4027474622244
KU326018	18	190	1/10	4027474622404
KU326020	20	245	1/10	4027474622657
KU326022	22	295	1/5	4027474622817
KU326024	24	390	1/5	4027474623074
KU326026	26	400	1/5	4027474623234
KU326028	28	435	1/5	4027474623494
KU326030	30	450	1/5	4027474623647
KU326035	35	650	1/5	4027474624149
KU326040	40	700	1/5	4027474624637
KU326045	45	1000	1/5	4027474625139
KU326050	50	1300	1	4027474625627
KU326055	50	1850	1	4027474625702
KU326060	60	2750	1	4027474625887



FIGURE STAMP SET 9-pcs HD

- according to DIN1451
- made of high-grade, hardened and calibrated special-purpose tool steel
- special hard shaft
- induction-hardened heads 58–60 HRc
- for stamping materials with up to 120 kp/mm² hardness
- 9 pcs of numbers in plastic box
- packing size: 1/5



Order no.	Number mm	Size	EAN
KU330006	6	10 x 75	4027474627034
KU330008	8	12 x 80	4027474627119



LETTER STAMP SET 27-pcs HD

- according to DIN1451
- made of high-grade, hardened and calibrated special-purpose tool steel
- special hard shaft
- induction-hardened heads 58–60 HRc
- for stamping materials with up to 120 kp/mm² hardness
- 27 pcs of letters in plastic box
- packing size: 1/2



Order no.	Letter mm	Size mm	EAN
KU331006	6	10 x 75	4027474628024
KU331008	8	12 x 80	4027474628109



COLD CHISELS

- chrome-molybdenum-steel
- packing size: 1/20/80



Order no.	Size	EAN
IKH7220	18 x 128 mm	6418914649149
IKH7221	22 x 152 mm	6418914649156



Specialist

COLD CHISELS with soft handle

- by-pass striking protection



Order no.	Size	Packing size	EAN
IKH7224	10 x 8 x 140 mm	/30/300	6418914649187
IKH7225	18 x 12,7 x 190 mm	/30/100	6418914649194
IKH7226	22 x 14,3 x 210 mm	/30/50	6418914649200
IKH7227	29 x 19 x 250 mm	/30/202	6418914649217



PUNCH AND CHISEL SET 6 pcs

IKH7290


- 5 pcs pin punches:
 - 3 x 9,5 x 150 mm
 - 4 x 9,5 x 150 mm
 - 5 x 9,5 x 150 mm
 - 6 x 9,5 x 150 mm
 - 8 x 12,7 x 150 mm
- 1 pc flat chisel
 - 12 x 9,5 x 150 mm
- packing size: 1/30
- EAN 6418914519480



PUNCH AND CHISEL SET 13 pcs

IKH40

- 1 pc formed, protecting handle
- 5 pcs flat chisels:
 - 13, 16, 19, 22, 25 mm
- 2 pcs taper punches 3 and 6 mm
- 2 pcs pin punches 5 and 6 mm
- 2 pcs center punches 3 and 5 mm
- 1 pc conical chisel 6 mm
- packing size: 1/10
- EAN 6418914628465



OVAL PUNCH SET 4 pcs

IKH7291

- to striking off bearings and bearing studs
- sizes:
 - 12,5 x 5,6 x 150 mm
 - 13,4 x 6,0 x 250 mm
 - 15,0 x 7,2 x 350 mm
 - 17,0 x 8,5 x 500 mm
- packing size: 1/12
- EAN 6418914519497



PIN PUNCH SET 6 pcs

X005151

- chrome-vanadium-steel
- 3-8 mm
- hardened points
- packing size: 1/10/40
- EAN 6418914149588





SLIDING HAMMER BRY BAR

IKH7071

- length 700 mm
- packing size: 1/5/10
- EAN 6418914706095



CENTER PUNCH

X001245

- length 125 mm
- packing size: 1/100
- EAN 6418914608306



CENTER PUNCHES with soft handle

- by-pass striking protection
- packing size: /30/200



Order no.	Size	EAN
IKH7222	4 x 9,5 x 185 mm	6418914649163
IKH7223	6 x 9,5 x 185 mm	6418914649170



HOLLOW PUNCH SET

X005123

- 9-pcs
- 2,5-10 mm
- plastic box
- packing size: 1/40
- EAN 6418914149489



LETTER STAMP SET

X005126A

- height of letters 8 mm
- 27 pcs (no Å and Ö -letters)
- packing size: 1/10
- EAN 6418914149526



FIGURE STAMP SET

X005125A

- height of numbers 8 mm
- 0-9
- packing size: 1/30
- EAN 6418914149502